




F16.2





F16.3




F16, 2B














F16.5






















F1G. 13












	Coll O.D.	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.086	0.086	0.086	0.083
	Çell î.D.	0.06	0 06	0.06	0.06	0.06	0.06	0.08	0.053	0.053	0.054	0.054
Clip Advas	wing Wire O.D.	0.017	0.017	0.017	0.015	0.02	0.02	0.02	0.017	0.017	0.017	0.017
End Effe	ch / Wire O.D.	0.011	0.011	0.011	0.011	0.011	0 011	0.011	0.009	0.009	0.009	0.009
Barrier Sheath		YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
		RUN #1	RUN #2	RUN #3	RUN #4	RUN #5	RUN #6	RUN#7	RUN #	RUN #9		RUN #11
	1 lb	0.46	0 24	0.32	0.54	0.59	0.56	0.45	0.87	0.4	0.57	0.77
	2 /b	1.19	0.75	0.9	1.07	1.07	1.07	0.69	1.62	1.12	1.02	1
	3 <i>l</i> b	1.67	1.24	1.44	1.51	1.9	1.7	1.02	2.07	1.61	1.39	1.77
	4 lb	2.19	1.81	1.98	2.62	2.3	2.6	1.51	2.61	2.01	2.09	2.76
	5 lb	2.74	2.35	2.59	2.05	3 07	2.98	2.26	3.5	2.44	3.19	3.15
	8 lb	3.27	2.82	2.61	2 1 1	3.68	3.72	2.56	3.87	2.78	3.5	3.61
	7 Ib	3.32	3 12	3.37		3.93	3.8	3.34	4.56	3.54	3.92	4.48
	8 lb	3.82	3.42			4.03	4.08	3.54	4.61	4.28	4.42	5.17
	Weight Position	11 lb	11 to 1 loop	11 lb 2 loops	11 lb	11 lb	11 lb	11 lb	11 lb	11 lb	11 (b	11 lb

F16.22

EFFICIENCY PLOT



F16. Z3